



HI-TENSILE™

ALUMINUM SOFFIT & DELUXE™ FASCIA



Impeccable Style with Easy Upkeep




GENTEK®

HI-TENSILE™

ALUMINUM SOFFIT
& DELUXE™ FASCIA

HI-TENSILE SOFFIT AND DELUXE FASCIA



Bright White

Linen

Sandstone

Almond

Wicker

HIGHER EXPECTATIONS... EXTRAORDINARY RESULTS

Industry-leading technology and innovation. Craftsmanship unrivaled in quality and performance. Outstanding products. Impeccable service. The confidence and trust of every customer, every day.

For more than 55 years, Gentek Building Products has manufactured siding and accessories in beautiful styles and exquisite colors. With durable finishes that are easy to maintain. Backed by warranties that deliver lasting protection and excellent value. Giving you the expertise and personal touch – that make us truly a part of your home.



Hi-Tensile™ Soffit

12" T-4
Solid

12" T-4
Center Vented


12" T-4
Fully Vented

16" Quad-4
Solid

16" Quad-4
Center Vented

Deluxe™ Fascia

8" and 6"



COLOR PALETTE



*Available in 16" only. **Available in 12" only.

ENDURING ELEGANCE Expert craftsmanship and high-performance materials bring superior style and strength to our Hi-Tensile aluminum soffit and Deluxe fascia.



ESSENTIAL VENTILATION

Properly installed soffit and fascia promote directional air movement through the eaves and rafters of your home. It eliminates moisture that can cause rotting and decay of the roof's structure, helping your home to stay in great shape inside and out.

SUPERIOR APPEARANCE AND PERFORMANCE

Featuring an exceptionally durable finish, Hi-Tensile soffit is made from a specially formulated alloy that performs like a heavier gauge material.

- Soffit panels are roll formed from a commercial-grade aluminum alloy sheet and coated with protective layers, including a corrosion-resistant formula and a thermosetting polyester coat
- Substantial 1/2" V-groove increases structural integrity
- Low-luster, satin finish provides excellent resistance to surface marring and scuffing
- Will never rot, peel or flake like painted or stained wood – requires minimal upkeep

INCREASED TENSILE STRENGTH

Tensile strength, which is the amount of stress a material can withstand, plays an important role in the durability and performance of residential soffit.

Tensile Strength Is Determined with Two Measurements:

Ultimate Tensile Strength is the maximum force (tension, compression or shearing) applied to a material that results in material failure, such as cracking, splitting and deforming.

Yield Tensile Strength is the force (tension, compression or shearing) that is applied to a material and results in some type of material deformity; the material does not fail and it may return to its normal shape when the force is removed.

QUICK SPECS:

Material and Hardness Rating: Aluminum Alloy 3105 H28

Nominal Gauge: 0.014

Ultimate Tensile Strength (UTS): 32,000 pounds per square inch

Yield Tensile Strength: 27,000 pounds per square inch

Ventilation:

- | | |
|------------------------|---|
| 12" T-4 Center Vented: | 3.9 sq. inches ventilation per lineal foot |
| 12" T-4 Fully Vented: | 11.6 sq. inches ventilation per lineal foot |
| 16" Q-4 Center Vented: | 7.8 sq. inches ventilation per lineal foot |

DELUXE FASCIA

Deluxe fascia features a beautifully protective Poly coating that's built to last. Its low-luster finish and smooth texture will enhance the hard-to-reach trim areas of your home with classic good looks.

COLOR MATCHING MADE SIMPLE



No need to settle for siding and trim that "almost match." Our Color Clear Through® collection of customer-preferred hues helps ensure a beautiful color match with other Gentek siding, trim and accessory products.

DESIGN INSPIRATION STARTS HERE!

Instantly create exterior designs with the Gentek Visualizer design tool at gentekusa.renovorks.com and follow our blog at myhomestyledesigns.com for creative inspiration, renovation tips and more.





A WORD ABOUT QUALITY

Gentek delivers the confidence and value only a true leader can provide. We proudly stand behind our products with the full faith of our more than 55 years of manufacturing expertise and some of the strongest warranties in the industry. Our voluntary participation in rigorous quality certifications and independent testing are further assurance you have made an excellent selection for your home.

BETTER PRODUCTS FOR A BRIGHTER FUTURE

At the end of its long useful life, aluminum siding is 100% recyclable and can be recycled again and again without degrading the inherent value of the aluminum.¹ Gentek aluminum products further lessen their impact on the environment because they never need to be repainted, thereby reducing the amount of paint, stain and other maintenance-related substances entering the waste stream.

A LIFETIME OF PROTECTION

Gentek Hi-Tensile aluminum soffit and Deluxe fascia are backed by a lifetime limited, non-prorated, transferable warranty. For complete warranty information, including limitations, ask your dealer for a copy of the Gentek Hi-Tensile aluminum soffit and Deluxe fascia warranty.²



DETAILS THAT MAKE THE DIFFERENCE

Accentuate the architecture of your home with TrimEssentials by Gentek® exterior trim and accessories. Exquisitely crafted window and door surrounds, fluted lineals, corner posts and other accents – as well as decorative shakes and scallops – will give your home personality and style.



BUILT FOR YOU... GENTEK WINDOWS AND PATIO DOORS

For your total home solution, choose Gentek replacement windows and patio doors. Advanced technology merged with enduring beauty, superior energy savings,³ easy upkeep and excellent value make it a great choice for today's homes. See your Gentek Sales Representative for details.



3773 State Road, Cuyahoga Falls, Ohio 44223
www.gentekinc.com

Make us a part of your home.



¹Aluminum Sustainability, www.aluminum.org/sustainability (accessed 1-22-24). ²For complete warranty information, including limitations, please visit www.gentekinc.com/support/warranty/ or contact your Gentek Sales Representative. Limited warranty does not apply to damage caused by faulty or improper installation, or causes outside of Gentek's control. ³See your Gentek Sales Representative for additional information regarding any questions you might have, or any assertions herein, concerning energy efficiency or savings. Energy savings will vary. Energy savings assume proper installation and use. Colors may be slightly different from their appearance in this brochure. Make final color selections using actual product samples. Product specifications are subject to change without prior notice. Trademarks mentioned in this document are the property of Gentek, its affiliates, or their respective owners.