

# SIDING PRODUCT DIRECTORY

*Products*

## VINYL AND METAL

F e b r u a r y 2 0 2 5



Siding • Soffit • Accessories



**GENTEK**®

# GENTEK VINYL SIDING COLOR COLLECTION

Incorporating advanced manufacturing technologies and exciting new color formulations, our extensive color palette ensures exceptional results... design inspired and architecturally beautiful.



## Classic Colors

Snow White	Monterey Sand	Pearl
Linen	Wicker	Dover Gray
Sandstone	Canyon Clay	Sage
Maize	Pebble	Juniper Grove
Almond		

## Designer Colors

Majestic Brick	Meadow Fern	Storm
Dark Drift	Moonlit Moss	Chesapeake Gray
Rockport Brown	Harbor Bay	Hudson Slate
Espresso	Coastal Blue	Windswept Smoke
Musket Brown (soffit only)	Midnight Surf	Iron Ore
Smoked Timber	Marine Dusk	Black (soffit only)

### VINYL SIDING

- 4 SEQUOIA SELECT
- 5 SEQUOIA SELECT BOARD & BATTEN
- 6 SEQUOIA SELECT EXTENDED LENGTH
- 7 SIGNATURE SUPREME
- 8 CENTENNIAL BEADED
- 9 CONCORD
- 10 AURORA II

### SHAKES & SCALLOPS

- 11-12 FAIRHAVEN SOUND SINGLE SELECT

### VINYL SOFFIT & ACCESSORIES

- 13 SEQUOIA SELECT Ultra-Premium Soffit
- 14 OXFORD Premium Soffit
- 15 BEADED Premium Soffit
- 16 FAIRWEATHER Soffit
- 17-22 TRIMESSENTIALS Vinyl Accessories

### ALUMINUM SIDING

- 23 CEDARWOOD
- 23 WOODGRAIN SERIES 2000
- 24 DELUXE

### ALUMINUM SOFFIT, FASCIA & ACCESSORIES

- 25-26 HI-TENSILE Soffit – Poly Finish
- 27 DELUXE Fascia
- 28-30 Aluminum Accessories

### STEEL SIDING

- 31 CEDARWOOD
- 32 STEELTEK SUPREME
- 33 STEELTEK
- 34 STEELSIDE
- 35 UNIVERSAL

### STEEL FASCIA & ACCESSORIES

- 36 Steel Fascia
- 37-40 Steel Accessories

### SEAMLESS STEEL COIL

- 41 SteelTek Supreme with Kynar

### TRIM COIL

- 42 Steel Trim Coil
- 43-45 Aluminum Trim Coil

### GUTTER COIL

- 46-47 Aluminum Gutter Coil

### COLOR MATRIX

- 48-49 Vinyl Siding
- 50-51 Shakes & Scallop
- 50-51 Vinyl Soffit
- 52-53 Vinyl Accessories
- 54-55 Aluminum Siding, Soffit & Fascia
- 56-57 Aluminum Accessories
- 58-59 Steel Siding & Fascia
- 60-61 Steel Accessories
- 60-61 Seamless Steel Coil
- 62-63 Aluminum & Steel Trim Coil
- 64-65 Trim Coil – Competitive Brands
- 66-67 Gutter Coil


### ARCHITECTURAL SPECIFICATIONS

- 68-69 Vinyl Architectural Specifications
- 70-71 Shakes & Scallop Architectural Specifications
- 72-73 Aluminum Architectural Specifications
- 74-75 Steel Architectural Specifications

**Not all products are available in all markets.**

**PRODUCT CODE & DESCRIPTION**

13715  
**Double 4" Clapboard**  
 3/4" Butt  
 2-4" Exposure per Panel  
 12'6" Length  
 .046" Nominal Thickness  
 Cedargrain Texture




Packaging:  
 24 pcs. per ctn.  
 2 sqs. per ctn.

**COLORS**

Snow White  
 Almond  
 Dover Gray  
 Linen  
 Maize  
 Monterey Sand  
 Pearl  
 Sandstone

13714  
**Double 4-1/2" Dutch Lap**  
 3/4" Butt  
 2-4.5" Exposure per Panel  
 12'1" Length  
 .046" Nominal Thickness  
 Cedargrain Texture




Packaging:  
 22 pcs. per ctn.  
 2 sqs. per ctn.

Canyon Clay  
 Juniper Grove  
 Pebble  
 Sage  
 Wicker

Chesapeake Gray†  
 Coastal Blue†  
 Dark Drift†  
 Espresso†  
 Harbor Bay†  
 Hudson Slate†  
 Iron Ore†  
 Majestic Brick†  
 Marine Dusk†  
 Meadow Fern†  
 Midnight Surf†  
 Moonlit Moss†  
 Rockport Brown†  
 Smoked Timber†  
 Storm†  
 Windswept Smoke†


†Designer colors not available in all markets.

13719  
**Double 5" Clapboard**  
 3/4" Butt  
 2-5" Exposure per Panel  
 12' Length  
 .046" Nominal Thickness  
 Cedargrain Texture



Packaging:  
 20 pcs. per ctn.  
 2 sqs. per ctn.


13741  
**Double 5" Dutch Lap†**  
 3/4" Butt  
 2-5" Exposure per Panel  
 12' Length  
 .046" Nominal Thickness  
 Cedargrain Texture



Packaging:  
 20 pcs. per ctn.  
 2 sqs. per ctn.

**PRODUCT CODE & DESCRIPTION**

13373  
**7" Board & Batten**  
 1/2" Batten Height  
 1-5/8" Batten Width  
 7" Exposure per Panel  
 10' Length  
 .050" Nominal Thickness  
 Light Roughsawn Texture



Packaging:  
 17 pcs. per ctn.  
 1 sq. per ctn.

**COLORS**

Snow White  
 Almond  
 Dover Gray  
 Linen  
 Maize  
 Monterey Sand  
 Pearl  
 Sandstone

Canyon Clay  
 Juniper Grove  
 Pebble  
 Sage  
 Wicker

Chesapeake Gray†  
 Coastal Blue†  
 Dark Drift†  
 Espresso†  
 Harbor Bay†  
 Hudson Slate†  
 Iron Ore†  
 Majestic Brick†  
 Marine Dusk†  
 Meadow Fern†  
 Midnight Surf†  
 Moonlit Moss†  
 Rockport Brown†  
 Smoked Timber†  
 Storm†  
 Windswept Smoke†

†Designer colors not available in all markets.

**PRODUCT CODE & DESCRIPTION**

13710  
**Double 4"  
Clapboard**

3/4" Butt  
2-4" Exposure per Panel  
16'1" Length  
.046" Nominal Thickness  
Cedargrain Texture

Packaging:  
14 pcs. per ctn.  
1.5 sqs. per ctn.




**COLORS**

Snow White  
Almond  
Dover Gray  
Linen  
Maize  
Monterey Sand  
Pearl  
Sandstone

13742  
**Double 5"  
Dutch Lap**

3/4" Butt  
2-5" Exposure per Panel  
16'4" Length  
.046" Nominal Thickness  
Cedargrain Texture

Packaging:  
11 pcs. per ctn.  
1.5 sqs. per ctn.



Canyon Clay  
Juniper Grove  
Pebble  
Sage  
Wicker  
Chesapeake Gray†  
Coastal Blue†  
Dark Drift†  
Espresso†  
Harbor Bay†  
Hudson Slate†  
Iron Ore†  
Majestic Brick†  
Marine Dusk†  
Meadow Fern†  
Midnight Surf†  
Moonlit Moss†  
Rockport Brown†  
Smoked Timber†  
Storm†  
Windswept Smoke†


†Designer colors not available in all markets.

**PRODUCT CODE & DESCRIPTION**

13404  
**Double 4"  
Clapboard**

5/8" Butt  
2-4" Exposure per Panel  
12'6" Length  
.044" Nominal Thickness  
Hardwood Texture

Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn.




**COLORS**

Snow White  
Almond  
Dover Gray  
Linen  
Maize  
Monterey Sand  
Pearl  
Sandstone

13436  
**Double 4"  
Dutch Lap**

5/8" Butt  
2-4" Exposure per Panel  
12'6" Length  
.044" Nominal Thickness  
Hardwood Texture

Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn.




Canyon Clay  
Juniper Grove  
Pebble  
Sage  
Wicker  
Chesapeake Gray†  
Dark Drift†  
Harbor Bay†  
Hudson Slate†  
Majestic Brick†  
Meadow Fern†  
Midnight Surf†  
Moonlit Moss†  
Rockport Brown†  
Storm†  
Windswept Smoke†

†Designer color; D5 and D5D designer colors not offered in all markets.

13413  
**Double 5"  
Clapboard**

5/8" Butt  
2-5" Exposure per Panel  
12' Length  
.044" Nominal Thickness  
Hardwood Texture


Packaging:  
20 pcs. per ctn.  
2 sqs. per ctn.



13415  
**Double 5"  
Dutch Lap**


5/8" Butt  
2-5" Exposure per Panel  
12' Length  
.044" Nominal Thickness  
Hardwood Texture

Packaging:  
20 pcs. per ctn.  
2 sqs. per ctn.



## PRODUCT CODE & DESCRIPTION

13629  
**6-1/2" Beaded**  
 11/16" Butt  
 6-1/2" Exposure per Panel  
 12'3-3/4" Length  
 .044" Nominal Thickness  
 Brushed Texture



Packaging:  
 30 pcs. per ctn.  
 2 sqs. per ctn.

## COLORS


Snow White  
 Almond  
 Dover Gray  
 Linen  
 Maize  
 Monterey Sand Pearl  
 Sandstone  
 Canyon Clay  
 Juniper Grove  
 Pebble  
 Sage  
 Wicker  
 Chesapeake Gray†  
 Harbor Bay†  
 Meadow Fern†  
 Rockport Brown†  
 Storm†

†Designer color.



## PRODUCT CODE & DESCRIPTION

13904  
**Double 4" Clapboard**  
 1/2" Butt  
 2-4" Exposure per Panel  
 12'6" Length  
 .042" Nominal Thickness  
 Light Roughsawn Texture




Packaging:  
 24 pcs. per ctn.  
 2 sqs. per ctn.

## COLORS

Snow White  
 Almond  
 Dover Gray  
 Linen  
 Maize  
 Monterey Sand Pearl  
 Sandstone


13912  
**Double 4" Dutch Lap**  
 1/2" Butt  
 2-4" Exposure per Panel  
 12'6" Length  
 .042" Nominal Thickness  
 Light Roughsawn Texture



Packaging:  
 24 pcs. per ctn.  
 2 sqs. per ctn.

Canyon Clay  
 Juniper Grove  
 Pebble  
 Sage  
 Wicker

13939  
**Double 5" Clapboard**  
 5/8" Butt  
 2-5" Exposure per Panel  
 12' Length  
 .042" Nominal Thickness  
 Light Roughsawn Texture




Packaging:  
 20 pcs. per ctn.  
 2 sqs. per ctn.

Chesapeake Gray†  
 Dark Drift†  
 Harbor Bay†  
 Hudson Slate†  
 Meadow Fern†  
 Storm†  
 Windswept Smoke†

†Designer color; D5 and D5D designer colors not offered in all markets.

13930  
**Double 5" Dutch Lap**  
 1/2" Butt  
 2-5" Exposure per Panel  
 12' Length  
 .042" Nominal Thickness  
 Light Roughsawn Texture




Packaging:  
 20 pcs. per ctn.  
 2 sqs. per ctn.




**PRODUCT CODE & DESCRIPTION**

13825  
**Double 4" Clapboard**  
7/16" Butt  
2-4" Exposure per Panel  
12'6" Length  
.040" Nominal Thickness  
Cedargrain Texture



Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn.

13826  
**Double 4-1/2" Dutch Lap**  
1/2" Butt  
2-4.5" Exposure per Panel  
12'1" Length  
.040" Nominal Thickness  
Cedargrain Texture



Packaging:  
22 pcs. per ctn.  
2 sqs. per ctn.

Colors:  
Canyon Clay  
Juniper Grove  
Pebble  
Sage  
Wicker  
Chesapeake Gray†  
Storm†


†Designer color.



Ultra-Premium Shakes & Scalops


**PRODUCT CODE & DESCRIPTION**

13988  
**Traditional Shake**  
5/8" Butt  
7" Single Exposure  
6'9" Length  
.085" Nominal Thickness  
Natural Cedar Texture  
Polypropylene




Packaging:  
13 pcs. per ctn.  
.5 sq. per ctn.

13992  
**Scallop**  
1/2" Butt  
6-1/4" Single Exposure  
6'4" Length  
.085" Nominal Thickness  
Natural Cedar Texture  
Polypropylene



Packaging:  
15 pcs. per ctn.  
.5 sq. per ctn.

13994  
**Cape Cod Shingle**  
1/2" Butt  
2-5" Exposure per Panel  
5'5" Length  
.075" Nominal Thickness  
Natural Cedar Texture  
Polypropylene



Packaging:  
11 pcs. per ctn.  
.5 sq. per ctn.

13993  
**Hand-Split Shake**  
5/8" Butt  
9" Single Exposure  
6'4-1/2" Length  
.100" Nominal Thickness  
Polypropylene  
Deep Cedargrain Texture  
Staggered Bottom Edge



Packaging:  
11 pcs. per ctn.  
.5 sq. per ctn.

**COLORS\***

Colors:  
Snow White  
Almond  
Dover Gray  
Linen  
Maize  
Monterey Sand  
Pearl  
Sandstone

Colors:  
Canyon Clay  
Juniper Grove  
Pebble  
Sage  
Wicker

Colors:  
Chesapeake Gray†  
Coastal Blue†  
Dark Drift†  
Espresso†

Colors:  
Harbor Bay†  
Hudson Slate†  
Iron Ore†  
Majestic Brick†  
Marine Dusk†  
Meadow Fern†  
Midnight Surf†  
Moonlit Moss†  
Rockport Brown†  
Smoked Timber†  
Storm†  
Windswept Smoke†

†Designer color.




FAIRHAVEN SOUND  
**SINGLE SELECT ACCESSORIES**

Ultra-Premium Shakes & Scallops

**PRODUCT CODE & DESCRIPTION**


14972  
**Traditional Shake Corner**



15.86" Length  
Natural Cedar Texture

Packaging:  
10 pcs. per ctn.  
13.2 lineal ft. per ctn.

14974  
**Hand-Split Shake Corner**



20.18" Length  
Deep Cedargrain Texture

Packaging:  
10 pcs. per ctn.  
16.8 lineal ft. per ctn.

15160  
**Starter Strip\***



10' Length

Packaging:  
25 pcs. per ctn.  
250 lineal ft. per ctn.

No Color

\*Aluminum starter strip.

13998  
**AccuClip**



Packaging:  
25 pcs. per bag  
4 bags per ctn.

Stainless steel install clip secures top course of shake and scallops.

**COLORS\***

Snow White

Almond

Dover Gray

Linen

Maize

Monterey Sand

Pearl

Sandstone

Canyon Clay

Juniper Grove

Pebble

Sage

Wicker

Chesapeake Gray†

Coastal Blue†

Dark Drift†

Espresso†

Harbor Bay†

Hudson Slate†

Iron Ore†

Majestic Brick†

Marine Dusk†

Meadow Fern†

Midnight Surf†

Moonlit Moss†

Rockport Brown†

Smoked Timber†

Storm†


Windswept Smoke†

\*Designer color.

**SEQUOIA SELECT® ULTRA-PREMIUM VINYL SOFFIT**

**PRODUCT CODE & DESCRIPTION**


16388  
**12" T-4 Solid Soffit/ Vertical Siding**



12" Exposure per Panel  
12' Length  
.044" Nominal Thickness  
3/4" Nominal Panel Projection  
Matte Texture

Packaging:  
16 pcs. per ctn.  
1.92 sqs. per ctn.

16386  
**12" T-4 Soffit/Hidden Vent**



12" Exposure per Panel  
12' Length  
.044" Nominal Thickness  
3/4" Nominal Panel Projection  
Matte Texture  
10 sq. inches ventilation per lineal foot

Packaging:  
16 pcs. per ctn.  
1.92 sqs. per ctn.

**COLORS**

Snow White

Almond

Dover Gray

Linen

Maize

Monterey Sand Pearl

Sandstone

Canyon Clay

Juniper Grove

Pebble

Sage


Wicker

Musket Brown†

†Designer color; soffit use only.

**PRODUCT CODE & DESCRIPTION**

16312  
**10" D-5  
 Solid Soffit/  
 Vertical Siding**




10" Exposure per Panel  
 10' Length  
 .042" Nominal Thickness  
 1/2" Nominal Panel Projection  
 Light Roughsawn Texture

Packaging:  
 24 pcs. per ctn.  
 2 sqs. per ctn.

**COLORS**

Snow White  
 Almond  
 Dover Gray  
 Linen  
 Maize  
 Monterey Sand  
 Pearl  
 Sandstone

16321  
**10" D-5  
 Solid Soffit/  
 Vertical Siding**




10" Exposure per Panel  
 12' Length  
 .042" Nominal Thickness  
 1/2" Nominal Panel Projection  
 Light Roughsawn Texture

Packaging:  
 20 pcs. per ctn.  
 2 sqs. per ctn.

Canyon Clay  
 Juniper Grove  
 Pebble  
 Sage  
 Wicker  
 Black\*\*  
 Chesapeake Gray†  
 Musket Brown†\*  
 Storm†

\*Designer color.  
 \*Soffit use only.

16320  
**10" D-5  
 Fully Vented Soffit**




10" Exposure per Panel  
 12' Length  
 .042" Nominal Thickness  
 1/2" Nominal Panel Projection  
 Light Roughsawn Texture  
 5.3 sq. inches ventilation  
 per lineal foot

Packaging:  
 20 pcs. per ctn.  
 2 sqs. per ctn.

**PRODUCT CODE & DESCRIPTION**

16345  
**8" Solid Soffit\***



8" Exposure per Panel  
 12'6" Length  
 .042" Nominal Thickness  
 3/8" Nominal Panel Projection  
 Matte Texture


Packaging:  
 12 pcs. per ctn.  
 1 sq. per ctn.

\*Soffit use only.

**COLORS**

Snow White  
 Linen  
 Monterey Sand  
 Canyon Clay  
 Pebble  
 Wicker

16346  
**8" Vented Soffit**




8" Exposure per Panel  
 12'6" Length  
 .042" Nominal Thickness  
 3/8" Nominal Panel Projection  
 Matte Texture  
 2.4 sq. inches ventilation  
 per lineal foot

Packaging:  
 12 pcs. per ctn.  
 1 sq. per ctn.




**PRODUCT CODE & DESCRIPTION**

16550  
**12" T-4  
 Solid Soffit/  
 Vertical Siding**  
 12" Exposure per Panel  
 12' Length  
 .040" Nominal Thickness  
 1/2" Nominal Panel Projection  
 Brushed Texture  
 Packaging:  
 16 pcs. per ctn.  
 1.92 sqs. per ctn.



16570  
**12" T-4  
 Center Vented Soffit\***

12" Exposure per Panel  
 12' Length  
 .040" Nominal Thickness  
 1/2" Nominal Panel Projection  
 Brushed Texture  
 2.3 sq. inches ventilation  
 per lineal foot




Packaging:  
 16 pcs. per ctn.  
 1.92 sqs. per ctn.

\*Available in Snow White only.

16590  
**12" T-4  
 Fully Vented Soffit**

12" Exposure per Panel  
 12' Length  
 .040" Nominal Thickness  
 1/2" Nominal Panel Projection  
 Brushed Texture  
 7.1 sq. inches ventilation  
 per lineal foot



Packaging:  
 16 pcs. per ctn.  
 1.92 sqs. per ctn.

**COLORS**

Snow White  
 Almond  
 Dover Gray  
 Linen  
 Maize  
 Monterey Sand  
 Pearl  
 Sandstone

Canyon Clay  
 Juniper Grove  
 Pebble  
 Sage  
 Wicker


Chesapeake Gray†  
 Musket Brown†\*\*  
 Storm†

†Designer color.  
 \*\*Soffit use only.

**PRODUCT CODE & DESCRIPTION**

14515  
**3-1/2"  
 Outside Corner Post**  
 3-1/2" Face  
 10' Length  
 Brushed Texture


Packaging:  
 10 pcs. per ctn.  
 100 lineal ft. per ctn.



14525  
**3"  
 Outside Corner Post**

3" Face  
 10' Length  
 Brushed Texture


Packaging:  
 10 pcs. per ctn.  
 100 lineal ft. per ctn.



15030  
**Bay & Bow  
 Outside Corner Post**

2" Face  
 12'6" Length  
 Matte Texture


Packaging:  
 10 pcs. per ctn.  
 125 lineal ft. per ctn.



14981  
**6" Designer  
 Outside Corner Post**

6" Face  
 20' Length  
 Brushed Texture

Packaging:  
 5 pcs. per ctn.  
 100 lineal ft. per ctn.



**PRODUCT CODE & DESCRIPTION**


**COLORS**

15026  
**7" Fluted Corner Post with Foam Insert**

20' Length  
Matte Texture

See Matrix On Pages 52-53.


Packaging:  
5 pcs. per ctn.  
100 lineal ft. per ctn.



15020  
**Beaded Corner Post with Foam Insert**

20' Length  
Matte Texture


Packaging:  
5 pcs. per ctn.  
100 lineal ft. per ctn.



14110  
**3/4" Inside Corner Post**

10' Length  
Brushed Texture


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn.



14098  
**1/2" J-Channel**

12' Length  
Brushed Texture

Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn.



**PRODUCT CODE & DESCRIPTION**


**COLORS**

14057  
**5/8" Premium J-Channel**

12' Length  
Brushed Texture

See Matrix On Pages 52-53.


Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn.



14095  
**3/4" Premium J-Channel**

12' Length  
Brushed Texture


Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn.



14072 (Special Order)  
**1-1/2" J-Channel**

12' Length  
Brushed Texture


Packaging:  
30 pcs. per ctn.  
360 lineal ft. per ctn.



14093  
**2-1/2" Wide Face J-Channel**

12' Length  
Brushed Texture

Packaging:  
18 pcs. per ctn.  
216 lineal ft. per ctn.



**PRODUCT CODE & DESCRIPTION**

**COLORS**


14078  
**Undersill Trim\***

12' Length  
Brushed Texture

See Matrix On  
Pages 52-53.

Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn.


\*Also used as a starter strip for 5" lineal.



14995  
**Double Undersill Trim**

12'6" Length  
Smooth Texture


Packaging:  
20 pcs. per ctn.  
250 lineal ft. per ctn.



14983  
**Drip Cap**

12' Length  
Brushed Texture

Packaging:  
45 pcs. per ctn.  
540 lineal ft. per ctn.




14587  
**3-1/2" Window/Door Surround\***

3-1/2" Face  
20' Length  
Matte Texture

Packaging:  
5 pcs. per ctn.  
100 lineal ft. per ctn.

\*Use with surround starter (14989).



**PRODUCT CODE & DESCRIPTION**

**COLORS**


15005  
**5" Window/Door Surround\***

5" Face  
20' Length  
Matte Texture

See Matrix On  
Pages 52-53.

Packaging:  
10 pcs. per ctn.  
200 lineal ft. per ctn.


\*Use undersill trim (14078) as starter.



14989  
**Surround Starter**

12' Length

Packaging:  
25 pcs. per ctn.  
300 lineal ft. per ctn.




14980  
**Starter Strip\***

12' Length

Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn.


\*For Sequoia Select vinyl siding, use aluminum starter strip (0109025) located on page 29.



14094  
**F-Channel**

12' Length  
Brushed Texture

Packaging:  
24 pcs. per ctn.  
288 lineal ft. per ctn.



**PRODUCT CODE & DESCRIPTION**


**COLORS**

14086  
**3/4" F-Channel**

12'6" Length  
Brushed Texture

See Matrix On  
Pages 52-53.


Packaging:  
32 pcs. per ctn.  
400 lineal ft. per ctn.



14986  
**3/8" Soffit Cove  
J-Channel**

12'6" Length  
Matte Texture


Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn.



14099  
**Soffit Double Channel**

12' Length  
Brushed Texture


Packaging:  
20 pcs. per ctn.  
240 lineal ft. per ctn.



14142  
**Beltline Trim**

12' Length  
Brushed Texture

Packaging:  
30 pcs. per ctn.  
360 lineal ft. per ctn.




**PRODUCT CODE & DESCRIPTION**

**COLORS**

0010008  
**Double 5"  
Clapboard**

1/2" Butt  
2-5" Exposure per Panel  
12' Length  
Kynar Finish  
Woodgrain Texture  
Variegated Colors

Aspen Gray  
Chestnut Brown  
Maple Tan  
Tawny Oak



Packaging:  
20 pcs. per ctn.  
2 sqs. per ctn.

WOODGRAIN<sup>™</sup> SERIES 2000 | ALUMINUM SIDING  
ALUMINUM SIDING


**PRODUCT CODE & DESCRIPTION**

**COLORS**

0008201  
**Double 4"  
Clapboard**

1/2" Butt  
2-4" Exposure per Panel  
12'6" Length  
Poly Finish  
Woodgrain Texture

Bright White  
Almond  
Canyon Clay  
Dover Gray  
Sandstone  
Wicker



Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn.



DELUXE™

## ALUMINUM SIDING


ALUMINUM SIDING

### PRODUCT CODE & DESCRIPTION

### COLORS

0001012  
**Double 4"  
 Clapboard**  
 1/2" Butt  
 2-4" Exposure per Panel  
 12'6" Length  
 Poly Finish  
 Smooth Texture


Bright White



Packaging:  
 24 pcs. per ctn.  
 2 sqs. per ctn.

0001011  
**8" Clapboard**

1/2" Butt  
 8" Exposure per Panel  
 12'6" Length  
 Poly Finish  
 Smooth Texture



Packaging:  
 24 pcs. per ctn.  
 2 sqs. per ctn.


## HI-TENSILE™ ALUMINUM SOFFIT

### PRODUCT CODE & DESCRIPTION

### COLORS

0520036  
**12" T-4  
 Solid**  
 12" Exposure per Panel  
 12' Length  
 Poly Finish  
 Smooth Texture

Bright White



Packaging:  
 16 pcs. per ctn.  
 1.92 sqs. per ctn.

Adobe  
 Almond  
 Antique Parchment  
 Black

Bronze

Brownstone

Canyon Clay

Cape Cod Gray

Dover Gray

Grecian Green

Linen

Maple

Musket Brown

Natural Linen

Norwood

Pebble

Royal Brown

Sage

Sandstone

Terratone

Thistle


Vintage Cream

Vintage Wicker

Wicker


0516036  
**12" T-4  
 Center Vented**  
 12" Exposure per Panel  
 12' Length  
 Poly Finish  
 Smooth Texture  
 3.9 sq. inches ventilation  
 per lineal foot

Packaging:  
 16 pcs. per ctn.  
 1.92 sqs. per ctn.



0515036  
**12" T-4  
 Fully Vented**  
 12" Exposure per Panel  
 12' Length  
 Poly Finish  
 Smooth Texture  
 11.6 sq. inches ventilation  
 per lineal foot


Packaging:  
 16 pcs. per ctn.  
 1.92 sqs. per ctn.



**PRODUCT CODE & DESCRIPTION**


0540663  
**16" Quad-4  
 Solid**  
 16" Exposure per Panel  
 12' Length  
 Poly Finish  
 Smooth Texture

Packaging:  
 12 pcs. per ctn.  
 1.92 sqs. per ctn.



0540661  
**16" Quad-4  
 Center Vented**  
 16" Exposure per Panel  
 12' Length  
 Poly Finish  
 Smooth Texture  
 7.8 sq. inches ventilation  
 per lineal foot

Packaging:  
 12 pcs. per ctn.  
 1.92 sqs. per ctn.




**COLORS**

- Bright White
- Adobe
- Almond
- Antique Parchment
- Black
- Bronze
- Brownstone
- Canyon Clay
- Cape Cod Gray
- Charcoal
- Dover Gray
- Grecian Green
- Linen
- Maple
- Musket Brown
- Natural Linen
- Norwood
- Pebble
- Royal Brown
- Sage
- Sandstone
- Terratone
- Thistle
- Vintage Cream
- Vintage Wicker
- Wicker

**PRODUCT CODE & DESCRIPTION**


0525006  
**6" Fascia**  
 12'6" Length  
 Poly Finish  
 Smooth Texture

Packaging:  
 24 pcs. per ctn.  
 300 lineal ft. per ctn.



0525008  
**8" Fascia**  
 12'6" Length  
 Poly Finish  
 Smooth Texture

Packaging:  
 24 pcs. per ctn.  
 300 lineal ft. per ctn.



**COLORS**

- Bright White
- Adobe
- Almond
- Antique Parchment
- Black
- Bronze
- Brownstone
- Canyon Clay
- Cape Cod Gray
- Charcoal
- Dover Gray
- Grecian Green
- Linen
- Maple
- Musket Brown
- Natural Linen
- Norwood
- Pebble
- Royal Brown
- Sage
- Sandstone
- Terratone
- Thistle
- Vintage Cream
- Vintage Wicker
- Wicker


**PRODUCT CODE & DESCRIPTION**

**COLORS**

0103501  
**Deluxe™  
Outside Corner Post**

2-1/2" Face  
10' Length  
Poly Finish  
Smooth Texture


See Matrix On  
Pages 56-57.



Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn.

0103508  
**Woodgrain™  
Series 2000  
Outside Corner Post**


2-1/2" Face  
10' Length  
Poly Finish  
Woodgrain Texture



Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn.

0104209  
**3/4" J-Channel**


12' Length  
Poly Finish  
Smooth Texture



Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn.

0108609  
**Snap-Lock  
Finish Trim**

12' Length  
Poly Finish  
Smooth Texture



Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn.


**PRODUCT CODE & DESCRIPTION**

**COLORS**

0109025  
**2-1/2" Starter Strip**


10' Length  
Packaging:  
50 pcs. per ctn.  
500 lineal ft. per ctn.

See Matrix On  
Pages 56-57.



0103510  
**Cedarwood®  
Outside Corner Post**


2-1/2" Face  
10' Length  
Kynar Finish  
Woodgrain Texture  
Variegated Colors



Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn.

0104219  
**Cedarwood®  
3/4" J-Channel**


12' Length  
Kynar Finish  
Smooth Texture  
Variegated Colors



Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn.

0108619  
**Cedarwood®  
Snap-Lock Finish Trim**

12' Length  
Kynar Finish  
Smooth Texture  
Variegated Colors




Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn.

**PRODUCT CODE & DESCRIPTION**

0199033  
**Cedarwood®  
 Touch-Up Paint**

Packaging:  
 6 pcs. per ctn.  
 Variegated Colors




**COLORS**

See Matrix On  
 Pages 56-57.

0530002  
**Reverse Frieze  
 Moulding**

12'6" Length  
 Poly Finish  
 Smooth Texture


Packaging:  
 24 pcs. per ctn.  
 300 lineal ft. per ctn.



0530008  
**1/2" Soffit J-Channel**

12'6" Length  
 Poly Finish  
 Smooth Texture


Packaging:  
 40 pcs. per ctn.  
 500 lineal ft. per ctn.



0530015  
**Drip Edge Style D**

10' Length  
 Poly Finish  
 Smooth Texture

Packaging:  
 25 pcs. per ctn.  
 250 lineal ft. per ctn.




**PRODUCT CODE & DESCRIPTION**

1718002  
**Double 4"**

1/2" Butt  
 2-4" Exposure per Panel  
 12'6" Length  
 Kynar Finish  
 Woodgrain Texture  
 Variegated Colors

Packaging:  
 12 pcs. per ctn.  
 1 sq. per ctn.




Aspen Gray  
 Chestnut Brown  
 Coastal Redwood  
 Maple Tan  
 Tawny Oak

1718001  
**8"**

1/2" Butt  
 8" Exposure per Panel  
 12'6" Length  
 Kynar Finish  
 Woodgrain Texture  
 Variegated Colors

Packaging:  
 12 pcs. per ctn.  
 1 sq. per ctn.







**PRODUCT CODE & DESCRIPTION**

**COLORS**


1724004  
**Double 4"  
Clapboard**

1/2" Butt  
2-4" Exposure per Panel  
12'6" Length  
Kynar Finish  
Roughsawn Texture

Bright White

---


Adobe  
Chelsea Bluff  
Chevron Smoke  
Delray Sand  
Dover Gray  
Harbor Bay  
Juniper Grove  
Sable  
Taylor Red  
Thistle  
Watermill Blue



Packaging:  
12 pcs. per ctn.  
1 sq. per ctn.

1724005  
**Double 5"  
Clapboard**


1/2" Butt  
2-5" Exposure per Panel  
12'6" Length  
Kynar Finish  
Roughsawn Texture



Packaging:  
10 pcs. per ctn.  
1 sq. per ctn.

1724008  
**8" Clapboard**


1/2" Butt  
8" Exposure per Panel  
12'6" Length  
Kynar Finish  
Roughsawn Texture



Packaging:  
12 pcs. per ctn.  
1 sq. per ctn.

1724012  
**12" Vertical  
Board & Batten**

5/8" Batten Height  
2" Batten Width  
12" Exposure per Panel  
10' Length  
Kynar Finish  
Medium Woodgrain Texture



Packaging:  
10 pcs. per ctn.  
1 sq. per ctn.

**PRODUCT CODE & DESCRIPTION**

**COLORS**


1726102  
**Double 4"  
Clapboard**

1/2" Butt  
2-4" Exposure per Panel  
12'6" Length  
PVC Finish  
Woodgrain Texture

Bright White

---


Almond  
Brownstone  
Canyon Clay  
Dover Gray  
Norwood  
Sage  
Thistle  
Wicker



Packaging:  
12 pcs. per ctn.  
1 sq. per ctn.

1726101  
**8" Clapboard**

1/2" Butt  
8" Exposure per Panel  
12'6" Length  
PVC Finish  
Woodgrain Texture




Packaging:  
12 pcs. per ctn.  
1 sq. per ctn.

**PRODUCT CODE & DESCRIPTION**

1751102  
**Double 4"  
Clapboard**

1/2" Butt  
2-4" Exposure per Panel  
12'6" Length  
PVC Finish  
Woodgrain Texture




Packaging:  
12 pcs. per ctn.  
1 sq. per ctn.

**COLORS**

Bright White  
Almond  
Brownstone  
Canyon Clay  
Dover Gray  
Norwood  
Sage  
Thistle  
Wicker

1751104  
**Double 5"  
Clapboard**


1/2" Butt  
2-5" Exposure per Panel  
12' Length  
PVC Finish  
Woodgrain Texture



Packaging:  
10 pcs. per ctn.  
1 sq. per ctn.

1751101  
**8" Clapboard**

1/2" Butt  
8" Exposure per Panel  
12'6" Length  
PVC Finish  
Woodgrain Texture




Packaging:  
12 pcs. per ctn.  
1 sq. per ctn.

**PRODUCT CODE & DESCRIPTION**

1719010  
**Universal™  
Double 5"  
Dutch Lap**

1/2" Butt  
2-5" Exposure per Panel  
12' Length  
PVC Finish  
Woodgrain Texture




Packaging:  
10 pcs. per ctn.  
1 sq. per ctn.

**COLORS**

Bright White  
Almond  
Brownstone  
Canyon Clay  
Dover Gray  
Norwood  
Sage  
Thistle  
Wicker

1719006  
**Universal™  
12" Vertical  
Board & Batten**

5/8" Batten Height  
2" Batten Width  
12" Exposure per Panel  
10' Length  
PVC Finish  
Medium Woodgrain Texture



Packaging:  
10 pcs. per ctn.  
1 sq. per ctn.

**PRODUCT CODE & DESCRIPTION**


**COLORS**

1855106  
**6" Steel Fascia**

10' Length  
PVC Finish  
Woodgrain Texture

See Matrix On  
Pages 58-59.


Packaging:  
12 pcs. per ctn.  
120 lineal ft. per ctn.



1855108  
**8" Steel Fascia**

10' Length  
PVC Finish  
Woodgrain Texture


Packaging:  
12 pcs. per ctn.  
120 lineal ft. per ctn.



1813526  
**3/4" Outside  
Corner Post**

2-1/2" Face  
10' Length  
PVC Finish  
Woodgrain Texture


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn.



1814206  
**3/4" J-Channel**

12'6" Length  
PVC Finish  
Striated Texture

Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn.



**PRODUCT CODE & DESCRIPTION**


**COLORS**

1815011  
**Snap-Lock Finish Trim**

12'6" Length  
PVC Finish  
Striated Texture

See Matrix On  
Pages 60-61.


Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn.



1829020  
**2-1/2" Starter Strip**

10' Length


Packaging:  
26 pcs. per ctn.  
260 lineal ft. per ctn.



1829025  
**3-1/2" Starter Strip**

10' Length


Packaging:  
26 pcs. per ctn.  
260 lineal ft. per ctn.



1813540  
**SteelTek™ Supreme  
Universal 3/4" Outside  
Corner Post**

2-1/2" Face  
10' Length  
Kynar Finish  
Roughsawn Texture

Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn.




**PRODUCT CODE & DESCRIPTION**

1844140  
**SteelTek™ Supreme**  
**1-1/8" J-Channel**

12'6" Length  
Kynar Finish  
Roughsawn Texture


Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn.



1814240  
**SteelTek™ Supreme**  
**3/4" J-Channel**

12'6" Length  
Kynar Finish  
Roughsawn Texture


Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn.



1844140  
**SteelTek™ Supreme**  
**1-1/8" J-Channel**

12'6" Length  
Kynar Finish  
Roughsawn Texture


Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn.



1815040  
**SteelTek™ Supreme**  
**Snap-Lock**  
**Finish Trim**

12'6" Length  
Kynar Finish  
Roughsawn Texture

Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn.



**COLORS**

See Matrix On  
Pages 60-61.

**PRODUCT CODE & DESCRIPTION**

0199044  
**SteelTek™ Supreme**  
**2 oz. Touch-Up Paint**  
**with Brush**

Packaging:  
6 pcs. per ctn.

See Matrix On  
Pages 60-61.



0199444  
**SteelTek™ Supreme**  
**6 oz. Touch-Up**  
**Aerosol Paint**

Packaging:  
12 pcs. per ctn.


To be used with paintable accessories.



1815061  
**Cedarwood®**  
**Snap-Lock Finish Trim**

12'6" Lengths  
Kynar Finish  
Smooth Texture  
Variegated Colors


Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn.



1813518  
**Cedarwood®**  
**3/4" Outside**  
**Corner Post**

2-1/2" Face  
10' Lengths  
Kynar Finish  
Woodgrain Texture  
Variegated Colors

Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn.




**PRODUCT CODE & DESCRIPTION**

1814218  
**Cedarwood®**  
**3/4" J-Channel**

12'6" Lengths  
 Kynar Finish  
 Smooth Texture  
 Variegated Colors

Packaging:  
 24 pcs. per ctn.  
 300 lineal ft. per ctn.



**COLORS**


See Matrix On  
 Pages 60-61.

**PRODUCT CODE & DESCRIPTION**

1890405  
**10.625" SteelTek™**  
**Supreme Seamless Coil**  
**with Kynar®**  
**Color, 1 Side**

Yields 1.90 l/ft per lb  
 Kynar Finish

Packaging:  
 2 rolls per skid




**COLORS**

See Matrix On  
 Pages 60-61.

1890409  
**13.250" SteelTek™**  
**Supreme Seamless Coil**  
**with Kynar®**  
**Color, 1 Side**

Yields 1.36 l/ft per lb  
 Kynar Finish


Packaging:  
 2 rolls per skid



1890415  
**10.625" SteelTek™**  
**Seamless Coil**  
**with Kynar®**  
**Color, 1 Side**

Yields 1.90 l/ft per lb  
 Kynar Finish


Packaging:  
 1 roll per skid



1890419  
**13.250" SteelTek™**  
**Seamless Coil**  
**with Kynar®**  
**Color, 1 Side**

Yields 1.36 l/ft per lb  
 Kynar Finish

Packaging:  
 1 roll per skid




**PRODUCT CODE & DESCRIPTION****COLORS**

1870007  
**22.3" PVC**  
**Color, 1 Side**

50' Length  
 PVC Finish

See Matrix On  
 Pages 60-61.

Packaging:  
 1 roll per ctn.


**PRODUCT CODE & DESCRIPTION****COLORS**

0710117  
**24" Performance G8**  
**Color, 1 Side**

50' Length  
 Polyester Finish

See Matrix On  
 Pages 62-63.


Packaging:  
 1 roll per ctn.



0737407  
**24" Poly**  
**Heavy-Duty**  
**Bright White Over**  
**Bright White**

50' Length  
 Poly Finish


Packaging:  
 1 roll per ctn.



0737107  
**24" Poly (LoMar)**  
**Color Over Bright White**

50' Length  
 Poly (LoMar) Finish


Packaging:  
 1 roll per ctn.



0735007  
**24" Poly (LoMar)**  
**White Over White**

50' Length  
 Poly (LoMar) Finish

Packaging:  
 1 roll per ctn.



## TRIM COIL | ALUMINUM

### PRODUCT CODE & DESCRIPTION


### COLORS

0710007  
**24" PVC-Coated  
Color, 1 Side**

50' Length  
PVC Finish

See Matrix On  
Pages 62-63.

Packaging:  
1 roll per ctn.




0714007  
**24" Cedarwood®  
Variegated Color Over  
Solid Color**

50' Length  
Kynar Finish  
Variegated Colors

Packaging:  
1 roll per ctn.

Aluminum coil matching Cedarwood  
aluminum and steel siding.



## TRIM COIL | ALUMINUM – VALUGARD

### PRODUCT CODE & DESCRIPTION


### COLORS

0739010  
**24" ValuGard™  
Bright White Over  
Bright White**

50' Length  
Poly Finish

See Matrix On  
Pages 62-63.


Packaging:  
1 roll per ctn.



0710010  
**24" ValuGard™  
Bright White, 1 Side**

50' Length  
PVC Finish

Packaging:  
1 roll per ctn.



## GUTTER COIL | ALUMINUM

---

### PRODUCT CODE & DESCRIPTION

0220015  
**Gutter Coil**  
.027" x 11.75"

Poly Finish  
Packaging:  
2 rolls per skid  
350/700 lb per skid

### COLORS

See Matrix On  
Pages 66-67.



0200020  
**Gutter Coil**  
.027" x 11.875"

Poly Finish  
Packaging:  
2 rolls per skid  
350/700 lb per skid



0220012  
**Gutter Coil**  
.027" x 11.875"

Poly Finish  
Packaging:  
2 rolls per skid  
200/400 lb per skid



0220029  
**Gutter Coil**  
.027" x 15"

Poly Finish  
Packaging:  
2 rolls per skid  
350/700 lb per skid



### PRODUCT CODE & DESCRIPTION

0220035  
**Gutter Coil**  
.032" x 11.75"

Poly Finish  
Packaging:  
2 rolls per skid  
350/700 lb per skid

### COLORS

See Matrix On  
Pages 66-67.



0200040  
**Gutter Coil**  
.032" x 11.875"

Poly Finish  
Packaging:  
2 rolls per skid  
350/700 lb per skid



0220022  
**Gutter Coil**  
.032" x 11.875"

Poly Finish  
Packaging:  
2 rolls per skid  
200/400 lb per skid



0220050  
**Gutter Coil**  
.032" x 15"

Poly Finish  
Packaging:  
2 rolls per skid  
350/700 lb per skid





# VINYL SIDING | COLOR MATRIX

		751 Snow White	004 Almond	150 Dover Gray	449 Linen	479 Maize	673 Monterey Sand	618 Pearl	724 Sandstone	088 Canyon Clay	633 Juniper Grove	307 Pebble	624 Sage	840 Wicker
<b>Sequoia Select</b>														
Double 4" Clapboard	13715	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Clapboard	13719	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 4-1/2" Dutch Lap	13714	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Dutch Lap*	13741	●	●	●	●	●	●	●	●	●	●	●	●	●
7" Board & Batten*	13373	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Sequoia Select Extended Length</b>														
Double 4" Clapboard	13710	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Dutch Lap*	13742	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Signature Supreme</b>														
Double 4" Clapboard	13404	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Clapboard*	13413	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 4" Dutch Lap	13436	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Dutch Lap*	13415	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Centennial Beaded</b>														
6-1/2" Beaded	13429	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Concord</b>														
Double 4" Clapboard	13904	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Clapboard*	13939	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 4" Dutch Lap	13912	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Dutch Lap*	13930	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Aurora II</b>														
Double 4 Clapboard"	13825	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 4-1/2" Dutch Lap	13826	●	●	●	●	●	●	●	●	●	●	●	●	●

Designer Colors*														
872 Chesapeake Gray	●	●	●	●	●	●	●	●	●	●	●	●	●	●
625 Coastal Blue	●	●	●	●	●	●	●	●	●	●	●	●	●	●
665 Dark Drift	●	●	●	●	●	●	●	●	●	●	●	●	●	●
638 Espresso	●	●	●	●	●	●	●	●	●	●	●	●	●	●
637 Harbor Bay	●	●	●	●	●	●	●	●	●	●	●	●	●	●
873 Hudson Slate	●	●	●	●	●	●	●	●	●	●	●	●	●	●
642 Iron Ore	●	●	●	●	●	●	●	●	●	●	●	●	●	●
876 Majestic Brick	●	●	●	●	●	●	●	●	●	●	●	●	●	●
877 Marine Dusk	●	●	●	●	●	●	●	●	●	●	●	●	●	●
874 Meadow Fern	●	●	●	●	●	●	●	●	●	●	●	●	●	●
652 Midnight Surf	●	●	●	●	●	●	●	●	●	●	●	●	●	●
653 Moonlit Moss	●	●	●	●	●	●	●	●	●	●	●	●	●	●
875 Rockport Brown	●	●	●	●	●	●	●	●	●	●	●	●	●	●
878 Smoked Timber	●	●	●	●	●	●	●	●	●	●	●	●	●	●
631 Storm	●	●	●	●	●	●	●	●	●	●	●	●	●	●
651 W. Smoke	●	●	●	●	●	●	●	●	●	●	●	●	●	●





## ALUMINUM SIDING, SOFFIT & FASCIA

		001 Adobe	004 Almond	412 Antique Parchment	048 Black	068 Bright White	064 Bronze	418 Brownstone	088 Canyon Clay	391 Cape Cod Gray	379 Charcoal	151 Dover Gray	258 Grecian Green	449 Linen
<b>Cedarwood</b>														
Double 5" Clapboard	0010008													
<b>Woodgrain Series 2000</b>														
Double 4" Clapboard	008201	●			●			●			●			
<b>Deluxe</b>														
Double 4" Clapboard	0001012				●									
8" Clapboard	0001011				●									
<b>Soffit</b>														
Hi-Tensile 12"		●	●	●	●	●	●	●	●	●	●	●	●	●
Hi-Tensile 16"		●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Fascia</b>														
Deluxe 6"	0525006	●	●	●	●	●	●	●	●	●	●	●	●	●
Deluxe 8"	0525008	●	●	●	●	●	●	●	●	●	●	●	●	●

## COLOR MATRIX

		Variegated Colors																
		434 Maple	333 Musklet Brown	404 Natural Linen	R60 Norwood	307 Pebble	736 Royal Brown	624 Sage	724 Sandstone	450 Terratone	794 Thistle	R26 Vintage Cream	415 Vintage Wicker	840 Wicker	020 Aspen Gray	107 Chestnut Brown	481 Maple Tan	775 Tawny Oak
<b>Variegated Colors</b>																		
															●	●	●	●
								●					●					
		●	●	●	●	●	●	●	●	●	●	●	●	●				
		●	●	●	●	●	●	●	●	●	●	●	●	●				
		●	●	●	●	●	●	●	●	●	●	●	●	●				
		●	●	●	●	●	●	●	●	●	●	●	●	●				

# ALUMINUM ACCESSORIES COLOR MATRIX

		001 Adobe	004 Almond	412 Antique Parchment	048 Black	068 Bright White	064 Bronze	418 Brownstone	088 Canyon Clay	391 Cape Cod Gray	379 Charcoal	151 Dover Gray	258 Grecian Green
Deluxe Outside Corner Post	0103501					●							
Woodgrain OCP	0103508		●			●			●			●	
3/4" J-Channel	0104209		●			●			●			●	
Snap-Lock Finish Trim	0108609		●			●			●			●	
2-1/2" Starter Strip	0109025												
Cedarwood OCP	0103510												
Cedarwood 3/4" J-Channel	0104219												
Cedarwood Snap-Lock	0108619												
Cedarwood Touch-Up Paint	0199033												
Reverse Frieze Moulding (Poly)	0530002	●	●	●	●	●	●	●	●	●	●	●	●
1/2" Soffit J-Channel (Poly)	0530008	●	●	●	●	●	●	●	●	●	●	●	●
Drip Edge Style D	0530015	●	●	●	●	●	●	●	●	●	●	●	●

		449 Linen	434 Maple	333 Muskiet Brown	040 Natural Linen	R60 Norwood	307 Pebble	736 Royal Brown	624 Sage	724 Sandstone	450 Terratone	794 Thisle	R26 Vintage Cream	415 Vintage Wicker	840 Wicker	Variegated Colors				
																020 Aspen Gray	107 Chestnut Brown	481 Maple Tan	775 Tawny Oak	No Color
										●					●					
										●					●					
																				●
																	●	●	●	●
																●	●	●	●	
																●	●	●	●	
		●	●	●	●	●	●	●	●	●	●	●	●	●	●					
		●	●	●	●	●	●	●	●	●	●	●	●	●	●					
		●	●	●	●	●	●	●	●	●	●	●	●	●	●					

# STEEL SIDING & FASCIA COLOR MATRIX

		001 Adobe	004 Almond	412 Antique Parchment	068 Bright White	064 Bronze	418 Brownstone	088 Canyon Clay	465 Chelsea Bluff	265 Chevron Smoke	274 Delay Sand	151 Dover Gray	258 Grecian Green	637 Harbor Bay
<b>Cedarwood Steel</b>														
Double 4" Clapboard	1718002													
8" Clapboard	1718001													
<b>SteelTek Supreme</b>														
Double 4" Clapboard	1724004	●			●				●	●	●	●		●
Double 5" Clapboard	1724005	●			●				●	●	●	●		●
8" Clapboard	1724008	●			●				●	●	●	●		●
12" Vertical B&B	1724012	●			●				●	●	●	●		●
<b>SteelTek</b>														
Double 4" Clapboard	1726102		●		●		●	●				●		
8" Clapboard	1726101		●		●		●	●				●		
<b>Steelside</b>														
Double 4" Clapboard	1751102		●		●		●	●				●		
8" Clapboard	1751101		●		●		●	●				●		
Double 5" Clapboard	1751104		●		●		●	●				●		
<b>Universal</b>														
Double 5" Dutch Lap	1719010		●		●		●	●				●		
12" Vertical B&B	1719006		●		●		●	●				●		
<b>Fascia</b>														
6"	1855106		●		●	●	●	●				●	●	
8"	1855108		●		●	●	●	●				●	●	

		Variegated Colors																	
		633 Juniper Grove	449 Linen	R60 Norwood	307 Pebble	736 Royal Brown	712 Sable	624 Sage	724 Sandstone	268 Taylor Red	450 Terratone	794 Thistle	266 Watermill Blue	840 Wicker	020 Aspen Gray	107 Chestnut Brown	116 Coastal Redwood	481 Maple Tan	775 Tawny Oak
															●	●	●	●	●
															●	●	●	●	●
		●					●			●		●	●						
		●					●			●		●	●						
		●					●			●		●	●						
		●					●			●		●	●						
			●					●				●	●						
			●					●				●	●						
			●					●				●	●						
			●					●				●	●						
		●	●	●	●		●	●		●	●	●	●						
		●	●	●	●		●	●		●	●	●	●						

## STEEL ACCESSORIES & SEAMLESS STEEL COIL

		001 Adobe	004 Almond	412 Antique Parchment	068 Bright White	418 Brownstone	088 Canyon Clay	391 Cape Cod Gray	465 Chelsea Bluff
3/4" Outside Corner Post	1813526	●	●	●	●	●	●	●	
3/4" J-Channel	1814206	●	●	●	●	●	●	●	
Snap-Lock Finish Trim	1815011	●	●	●	●	●	●	●	
SteelTek Supreme Universal 3/4" OCP	1813540	●			●				●
SteelTek Supreme 1-1/8" J-Channel	1844140	●			●				●
SteelTek Supreme 3/4" J-Channel	1814240	●			●				●
SteelTek Supreme Snap-Lock Finish Trim	1815040	●			●				●
SteelTek Supreme 2 oz. Touch-Up Paint with Brush	0199044	●			●				●
SteelTek Supreme 6 oz. Touch-Up Aerosol Paint	0199444	●			●				●
2-1/2" Starter Strip	1829020								
3-1/2" Starter Strip	1829025								
Cedarwood Snap-Lock	1815061								
Cedarwood 3/4" OCP	1813518								
Cedarwood 3/4" J-Channel	1814218								

## Seamless Steel Coil with Kynar

		001 Adobe	068 Bright White	465 Chelsea Bluff	265 Chevron Smoke	274 Delray Sand	151 Dover Gray
SteelTek Supreme 10.625" Seamless Coil (2 rolls/skid)	1890405	●	●	●	●	●	●
SteelTek Supreme 13.250" Seamless Coil (2 rolls/skid)	1890409	●	●	●	●	●	●
SteelTek Supreme 10.625" Seamless Coil (1 roll/skid)	1890415	●	●	●	●	●	●
SteelTek Supreme 13.250" Seamless Coil (1 roll/skid)	1890419	●	●	●	●	●	●

## COLOR MATRIX

		Variegated Colors																			
		265 Chevron Smoke	274 Delray Sand	151 Dover Gray	637 Harbor Bay	633 Juniper Grove	R60 Nowood	401 Platinum Gray	712 Sable	624 Sage	268 Taylor Red	794 Thistle	R26 Vintage Cream	266 Watermill Blue	840 Wicker	No Color	020 Aspen Gray	107 Chestnut Brown	116 Coastal Redwood	481 Maple Tan	775 Tawny Oak
				●					●												
				●					●												
				●					●												
		●	●	●	●	●			●		●	●	●								
		●	●	●	●	●			●		●	●	●								
		●	●	●	●	●			●		●	●	●								
		●	●	●	●	●			●		●	●	●								
		●	●	●	●	●			●		●	●	●								
																●					
																●					
																	●	●	●	●	●
																	●	●	●	●	●

		637 Harbor Bay	633 Juniper Grove	712 Sable	268 Taylor Red	794 Thistle	266 Watermill Blue
		●	●	●	●	●	●
		●	●	●	●	●	●
		●	●	●	●	●	●
		●	●	●	●	●	●





## ALUMINUM 24" TRIM COIL | COLOR MATRIX

Siding	Poly (LoMar) 0737107	PVC 0710007
<b>Certainteed</b>		
633 CT Cypress	●	●
355 CT Desert Tan	●	●
653 CT Forest	●	●
362 CT Granite Gray	●	●
354 CT Heritage Cream	●	●
316 CT Herringbone	●	●
555 CT Ivy Green	●	●
350 CT Light Maple	●	●
307 CT Natural Clay	●	●
601 CT Pacific Blue	●	●
712 CT Sable Brown	●	●
724 CT Sandstone Beige	●	●
840 CT Savannah Wicker	●	●
624 CT Seagrass	●	●
068 CT Snow	●	●
365 CT Sterling Gray	●	●
592 CT Terra Cotta	●	●
725 CT Warm Sand	●	●
<b>Exterior Portfolio</b>		
068 C Aspen White	●	●
316 C Bone	●	●
307 C Clay	●	●
462 C Country Beige	●	●
470 C Cypress	●	●
336 C Driftwood	●	●
329 C Espresso	●	●
651 C Graphite	●	●
362 C Greystone	●	●
688 C Lighthouse Red	●	●
725 C Mocha	●	●
412 C Pearl	●	●
574 C Regatta Blue	●	●
472 C Rye	●	●
475 C Saddle	●	●
652 C Slate	●	●
460 C Wheat	●	●

## COMPETITIVE BRANDS

Siding (continued)	Poly (LoMar) 0737107	PVC 0710007
<b>Mastic</b>		
004 MT Almond	●	●
724 MT Cameo	●	●
479 MT Classic Cream	●	●
001 MT Desert Clay	●	●
333 MT Musket Brown	●	●
307 MT Pebblestone	●	●
618 MT Silver Gray	●	●
336 MT Victorian Gray	●	●
<b>Royal</b>		
329 RC Bark	●	●
412 RC Linen	●	●
652 RC Midnight Surf	●	●
666 RC Natural Cedar	●	●
120 RC Redwood	●	●
326 RC Sable	●	●
001 RC Sand	●	●
653 RC Shamrock	●	●
350 RC Soft Maple	●	●
618 RC Sterling	●	●
R26 RC Vintage Cream	●	●
522 RC Walnut	●	●

Windows	Poly (LoMar) 0737107
<b>Andersen</b>	
A10 AN Black/AN White	●
A03 AN Canvas/AN White	●
A05 AN Cocoa Bean/AN White	●
A08 AN Dark Bronze/AN White	●
A09 AN Forest Green	●
A11 AN Red Rock/AN White	●
A07 AN Sandstone/AN White	●
A06 AN Terratone/AN White	●
A02 AN White/AN White	●

## GUTTER COIL

Gutter Coil			001 Adobe	004 Almond	412 Antique Parchment	048 Black	064 Bronze	418 Brownstone	088 Canyon Clay	391 Cape Cod Gray	151 Dover Gray	258 Grecian Green	449 Linen
.027 x 11.75	0220015	350 lbs											
.027 x 11.875	0200020	350 lbs											
.027 x 11.875	0220012	200 lbs	●	●	●	●	●	●	●	●	●	●	●
.027 x 15	0220029	350 lbs	●			●	●	●					
.032 x 11.75	0220035	350 lbs											
.032 x 11.875	0200040	350 lbs											
.032 x 11.875	0220022	200 lbs	●	●	●	●	●	●	●	●	●	●	●
.032 x 15	0220050	350 lbs	●			●		●					

## COLOR MATRIX

434 Maple	333 Musket Brown	040 Natural Linen	R60 Norwood	307 Pebble	401 Platinum Gray	736 Royal Brown	624 Sage	724 Sandstone	450 Terratone	794 Thistle	R26 Vintage Cream	415 Vintage Wicker	906 White – Hi-Gloss	905 White – Lo-Gloss	840 Wicker
													●	●	
●	●	●	●	●	●	●	●	●	●	●	●	●			●
	●					●			●		●	●	●	●	
													●	●	
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
						●					●	●	●	●	●

**GENTEK VINYL SIDING AND SOFFIT**

Produced to precise tolerances using formulated compounds specifically designed for the plastic building products industry according to ASTM D4216, meeting or exceeding the following:

Property	Test Method	Results
Tensile Strength (psi)	ASTM D-638	6,700
Modulus of Elasticity (psi)	ASTM D-638	410,000
Izod Impact (70°F)	ASTM D-256	3.6 (ft-lb/in of notch)
Izod Impact (32°F)	ASTM D-256	2.0 (ft-lb/in of notch)
Flexural Strength (psi)	ASTM D-790	14,000
Coefficient of Linear Expansion	ASTM D-696	5.3 x 10 <sup>-5</sup> (mm/mm °C) 2.9 x 10 <sup>-5</sup> (in/in °F)
Deflection Temperature Under Load 264 psi (°C)	ASTM D-648	73

**PRODUCT PHYSICALS**

All siding products, soffit panels and accessories are made with solid color throughout. The siding products and accessories meet or exceed the ASTM Specification for Rigid Poly Vinyl Chloride (PVC) Siding D3679. All soffit products and associated accessories meet or exceed the ASTM Specification for Rigid (Unplasticized) Poly Vinyl Chloride (PVC) Soffit D4477.

The siding and soffit compound meets Class 2 requirements and conforms to weathering performances as described in ASTM 3679.

Color: Spectrophotometer controlled  
Gloss: Gardner gloss meter controlled  
Lock: Dimensionally controlled

All products meet or exceed ASTM 3679 thickness (nominal) requirements:

Sequoia Select	0.046"
Sequoia Select Extended	0.046"
Sequoia Select Board & Batten	0.050"
Centennial Beaded	0.044"
Signature Supreme	0.044"
Concord	0.042"
Aurora II	0.040"
Sequoia Select Ultra-Premium Soffit	0.044"
Oxford Premium Soffit	0.042"
Beaded Premium Soffit	0.042"
Fairweather Soffit	0.040"

**WARRANTY**

All Gentek vinyl siding brands carry a Lifetime Limited Warranty including fade and hail protection. *Warranty is transferable if the home is sold. See printed warranty for complete details.*

**SOFFIT VENTILATION AREA**

Gentek soffit panels are designed to allow air circulation into the attic areas to aid in the reduction of excessive heat buildup and water vapor condensation. The net free open area (NFOA) per lineal foot of soffit is as follows:

12" Sequoia Select Ultra-Premium Vented	10 sq in
10" Oxford Fully Vented	5.3 sq in
8" Beaded Vented	2.4 sq in
12" Fairweather Center Vented	2.3 sq in
12" Fairweather Fully Vented	7.1 sq in

**FIRE SAFETY**

Important fire safety information for the building trades, specifiers, professionals and do-it-yourself installers:

When rigid vinyl siding is exposed to significant heat or flame, the vinyl will soften, sag, melt, or burn and may thereby expose the material underneath. Care must be exercised when selecting underlay materials because many underlays are made from organics that are combustible. You should ascertain the fire properties of any underlay prior to installation. All building materials should be installed in accordance with local, state and federal building codes and fire regulations.

**WINDLOAD PROPERTIES**

All Gentek siding products are designed to withstand a minimum of 100 mph windloads and are suitable for most areas. The products can be used in areas with higher windloads, but installation procedures, choice of product and building code jurisdiction are important factors to be considered. The windspeed rating (in mph) is calculated using VSI's windspeed calculation guidelines. Additional information is available if required.

**BUILDING CODES**

Gentek vinyl products meet or exceed the following building code specifications:

ICC-ESR – 1133  
CCMC – 06541-L  
New York City MEA 132-94-M  
FHA/HUD Minimum Property Standards

### GENTEK SHAKES AND SCALLOPS

Gentek shakes and scallops are produced from a modified (ASTM 5630) outdoor polypropylene copolymer, also known as a reinforced thermoplastic polyolefin (TPO). Produced to precise tolerances using formulated compounds specifically designed for exterior applications, meeting or exceeding the following:

<b>Property</b>	<b>Test Method</b>	<b>Results</b>
<i>Tensile Strength @ Yield (psi)</i>	<i>ASTM D-638</i>	<i>3,000</i>
<i>Izod Impact (23°C)</i>	<i>ASTM D-256</i>	<i>2.5 (ft-lb/in of notch)</i>
<i>Flexural Modulus (psi)</i>	<i>ASTM D-790</i>	<i>200,000</i>
<i>Gardner Impact (23°C)</i>	<i>ASTM D-5420</i>	<i>180 (in-lb)</i>
<i>Windload</i>	<i>ASTM 5206</i>	<i>205 mph Traditional Shake 267 mph Scallop 214 mph Cape Cod Shingle 217 mph Hand-Split Shake</i>

### PRODUCT PHYSICALS

The material has a solid color throughout and is UV stabilized. Shakes and scallops are continually tested for weatherability in both light and darker colors.

Material thickness:

Traditional Shake: 0.085"

Scallop: 0.085"

Cape Cod Shingle: 0.075"

Hand-Split Shake: 0.100"

Color: Spectrophotometer controlled

Traditional Shake

7" panel (single course) exposure by 81" exposure

26 panels per 100 sq ft coverage

Panel weight of 3.07 lb

Natural cedar texture

Scallop

6-1/4" panel (single course) exposure by 76" exposure

30 panels per 100 sq ft of coverage

Panel weight of 2.3 lb

Natural cedar texture

Cape Cod Shingle

10" panel (double course) exposure by 65" exposure

22 panels per 100 sq ft coverage

Panel weight of 3.2 lb

Natural cedar texture

Hand-Split Shake

9" panel (single course) exposure by 76.5" exposure

22 panels per 100 sq ft of coverage

Panel weight of 4.1 lb

Deep cedargrain texture

Staggered bottom edge

### WARRANTY

Lifetime Limited Transferable Warranty. See printed warranty for complete details.

### FIRE SAFETY

When polypropylene material is exposed to considerable heat or flame the polypropylene will soften, melt or burn and may possibly expose the material underneath. Care needs to be taken when selecting underlayment materials because many are made from organic materials that are combustible. Fire properties of underlayment materials must be established prior to their installation. All burning materials should be installed in accordance with local, state (provincial) and federal fire regulations and building codes.

### INSTALLATION

Complete installation instructions for shakes and scallops are available. Please review prior to installation.

**GENTEK ALUMINUM SIDING AND SOFFIT**
**ALUMINUM METAL PROPERTIES**

<i>Alloy or Equivalent</i>	3000 series
<i>Specific Gravity</i>	2.72
<i>Minimum Ultimate Strength (KSI)</i>	25
<i>Minimum Yield (KSI)</i>	22
<i>Minimum Elongation (%)</i>	4
<i>Modulus of Elasticity (KSI)</i>	10,000
<i>Coefficient of Thermal Expansion (in/in °F)</i>	0.0000131
<i>Melting Range (°F)</i>	1175-1210
<i>Thermal Conductivity at 77°F (btu-in/ft<sup>2</sup>-hr-°F)</i>	1190

**COATING PROPERTIES**

Gentek aluminum siding products are manufactured with AA3000 series alloy or equivalent. Both sides of the aluminum sheet are cleaned with a specially formulated cleaner, water rinsed and then coated with an environmentally safe chemical pretreatment to enhance corrosion protection and coating adhesion.

The pretreated aluminum is then coated with one of the following:

**Polyester (Poly) Topcoat:** This thermoset polymer resin is cured at 450°F forming a hard, flexible, mar resistant and weatherable coating. The coating thickness is 0.8 mil.

A corrosion-resistant polymer (i.e., primer) is applied to the pretreated aluminum and then top coated with one of the following polymeric systems:

**WARRANTY**

All Gentek aluminum siding brands carry a Lifetime Limited Warranty. *Warranty is transferable if home is sold. See printed warranty for complete details.*

**CONTACT WITH DISSIMILAR MATERIALS AND CORROSIVE ENVIRONMENTS**

Direct contact of aluminum products with certain dissimilar materials, or contact with water runoff from dissimilar materials, is likely to result in corrosion. Accordingly, care should be taken during installation to avoid such contact of aluminum with dissimilar materials, including: dissimilar metals (copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pretreated lumber, masonry, corrosive non-metallic materials, and roofing materials or roofing systems containing metallic granules or strips. Seacoast or other corrosive environments may result in corrosion of the product.

**PRODUCT PHYSICALS**

<b>Product</b>	<b>Coating Type</b>	<b>Thickness</b>
<i>Cedarwood</i>	PVDF <sub>2</sub>	0.024
<i>Woodgrain Series 2000</i>	Poly	0.019
<i>Deluxe 4"</i>	Poly	0.019
<i>Deluxe 8"</i>	Poly	0.024
<i>Hi-Tensile Soffit</i>	Poly	0.014
<i>Deluxe Fascia</i>	Poly	0.024
<i>HD Trim Coil</i>	Poly	0.024
<i>Trim Coil</i>	Poly	0.019
<i>Trim Coil</i>	PVC	0.019

**SOFFIT VENTILATION AREA**

Gentek soffit panels are designed to allow air circulation into the attic areas to aid in the reduction of excessive heat buildup and water vapor condensation. The net free open area (NFOA) per lineal foot of soffit are as follows:

<b>Profile</b>	<b>Vent</b>	<b>NFOA (in<sup>2</sup>/foot)</b>
<i>16" 4 Panel</i>	<i>Center Vent</i>	<i>7.8</i>
<i>12" 3 Panel</i>	<i>Center Vent</i>	<i>3.9</i>
	<i>Full Vent</i>	<i>11.6</i>

**BUILDING CODES**

Gentek aluminum products meet or exceed the following building code specifications:

*ICC-ES Legacy – Report #97-64*

*AAMA 1402-86*

*FHA/HUD Minimum Property Standards*

**GENTEK STEEL SIDING**
**METAL PROPERTIES**

<i>Steel or Equivalent</i>	AZ-50
<i>Specific Gravity</i>	7.8
<i>Minimum Ultimate Strength (KSI)</i>	45-55
<i>Minimum Yield (KSI)</i>	40-50
<i>Minimum Elongation (%)</i>	25-35
<i>Modulus of Elasticity (KSI)</i>	29,500
<i>Coefficient of Thermal Expansion (in/in °F)</i>	0.000006
<i>Melting Range (°F) Steel</i>	>2700
<i>Melting Range (°F) Zinc</i>	786
<i>Thermal Conductivity at 77°F (btu-in/ft<sup>2</sup>-hr-°F)</i>	555

**COATING PROPERTIES**

Gentek steel siding products are manufactured with AZ-50. Both sides of the steel sheet are cleaned with a specially formulated cleaner, water rinsed and then coated with an environmentally safe chemical pretreatment to enhance corrosion protection and coating adhesion.

The pretreated surface is coated with a thermoset corrosion-resistant polymer. This corrosion-resistant polymer is topcoated with the following polymeric systems:

**Plastisol (PVC) Topcoat:** This highly weatherable, flexible, chemical-resistant thermoplastic polymer is melted and fused at temperatures of >390°F. The coating is applied with a striated pattern or smooth finish having an average film thickness of 3.0 mils.

**Polyvinylidene Fluoride (PVDF<sub>2</sub>):** This thermoplastic polymer has excellent chemical and fade resistance. The coating thickness is 0.9 mil. The system is cured at a minimum temperature of 475°F. This polymer system conforms to the high industry standards of Kynar® and Hylar 5000®. The main criteria for these standards is that the paint formulation must contain a minimum of 70% PVDF<sub>2</sub>. Many fluoropolymer coatings on the market do not meet the high quality and performance standards required by Kynar and Hylar 5000 specifications.

**WARRANTY**

All Gentek steel siding brands carry a Lifetime Limited Warranty. *Warranty is transferable if home is sold. See printed warranty for complete details.*

**CONTACT WITH DISSIMILAR MATERIALS**

Direct contact of steel products with certain dissimilar materials, or contact with water runoff from dissimilar materials, is likely to result in corrosion. Accordingly, care should be taken during installation to avoid such contact of steel with dissimilar materials, including: dissimilar metals (copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pretreated lumber, masonry, corrosive non-metallic materials, and roofing materials or roofing systems containing metallic granules or strips.

**PRODUCT PHYSICALS**

<b>Product</b>	<b>Coating Type</b>	<b>Thickness*</b>
<i>Cedarwood</i>	PVDF <sub>2</sub>	0.017
<i>SteelTek Supreme</i>	PVDF <sub>2</sub>	0.017
<i>SteelTek Supreme Seamless Steel Coil</i>	Kynar®	0.017
<i>SteelTek</i>	PVC	0.017
<i>SteelSide</i>	PVC	0.017
<i>Universal</i>	PVC	0.017

\*29 Gauge

**BUILDING CODES**

Gentek steel products meet or exceed the following building code specifications:

*ICC-ES Legacy – Report #97-64*

*AAMA 1406-86*

*FHA/HUD Minimum Property Standards*







gentekbuildingproducts.com



3773 State Road, Cuyahoga Falls, Ohio 44223  
www.gentekbuildingproducts.com

*Make us a part of your home.*



Not all profiles are available in all colors or areas of the country. Please see your Gentek Sales Representative for specific offering. Colors may be slightly different from their appearance in this brochure. Make final color selections using actual product samples. Product Improvement Policy: Gentek Building Products is constantly improving product designs and manufacturing processes. We therefore must reserve the right to change specifications without notice. Please consult Gentek Building Products for current details. Trademarks mentioned in this document are the property of Gentek Building Products, its affiliates or their respective owners.

Effective Date: February 2025

9831-371/2-25/1.6M UI © 2025, Gentek Building Products Printed in the U.S.A.  
Please recycle this literature.

